	Application No.	Applicant(s)
Notice of Allowability	10/774,636	FULLER ET AL.
	Examiner	Art Unit
	Christopher RoDee	1756
	Christopher Robee	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. A This communication is responsive to Interviews of 31 Octo	ber 2005 and 3 November 2005.	
2. ☑ The allowed claim(s) is/are <u>1-37</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority ur  a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have		
2. Certified copies of the priority documents have	- · · · · · · <del>-</del>	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT</li> </ol>	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s)		
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary Paper No./Mail Dal</li> </ol>	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>2/9/04</u></li> </ol>	08), 7. ⊠ Examiner's Amendr	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	
	·	

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Eugene Palazzo on 1 November 2005.

The application has been amended as follows:

Amend the claims as indicated

- 1. (Currently Amended) A photoconductive imaging member comprised of an optional a supporting substrate, a hole blocking layer thereover, a photogenerating layer, and a charge transport layer, and wherein the hole blocking layer is comprised of a pyrolyzed polyacrylonitrile formed by pyrolysis of polyacrylonitrile powder or film at a temperature of about 260 °C to about 500 °C for between 3 and 24 hours.
- 3. (Currently Amended) An imaging member in accordance with claim 1 wherein said pyrolyzed polyacrylonitrile <u>is a dispersion contains containing</u> a silane monomer.

In claim 14, line 2, delete "of poly(hydroxybutyl acrylate).

In claim 15, line 2, after "resin" insert – binder --.

19. (Currently Amended) A photoconductive imaging member in accordance with claim 18 wherein said phenolic resin <u>is a mixture comprises comprising</u> from about 1 to about 99 weight percent of a <u>the</u> first phenolic resin, and from about 99 to about 1 weight percent of a <u>the</u> second phenolic resin containing at least two hydroxy groups.

22. (Currently Amended) A photoconductive imaging member in accordance with claim 1 comprised in the following sequence of a supporting substrate, said hole blocking layer, an adhesive layer, a <u>the</u> photogenerating layer, and <u>the charge transport layer</u>, wherein the charge transport layer is a hole transport layer.

In claim 25, line 2, change "photogenerator" to – photogenerating --, and in line 3, after "said" insert – charge --.

Cancel claims 38 and 39.

In the specification, at page 10, last line, after "being preferred." Insert, -- In an embodiment the pyrolyzed polyacrylonitrile is crosslinked, and is of the formula

Replace the title with the following title:

Photoconductive Imaging Members Having Pyrolyzed Polyacrylonitrile Hole Blocking Layer

The following is an examiner's statement of reasons for allowance: the closest art of record is JP 58-203448, which discloses a photoreceptor having a photoconductive layer. This photoconductive layer contains zinc oxide, pyrolyzed polyacrylonitrile, and an inorganic glass binder. There is no disclosure of placing the pyrolyzed polyacrylonitrile in a hole blocking layer

Art Unit: 1756

as specified in claim 1. Staudenmayer *et al.* in US Patent 4,578,333 discloses a photoreceptor having an acrylonitrile copolymer in the interlayer, giving improved adhesion of the photoreceptor layers and increased photosensitivity. This interlayer is heated to a temperature of 60 °C to dry the layer. There is no indication that this heating would change the structure of polyacrylonitrile. As seen in the enclosed journal article to Saufi, heating polyacrylonitrile to a temperature of 250 °C causes the polymer to crosslink (p. 846, top left column and Figure 6). This journal article also indicates that the nitrile groups exist in the pyrolyzed polyacrylonitrile up to a temperature of 700 °C (p. 849, lower right column). Based on the claims as allowed and the journal article, the pyrolyzed polyacrylonitrile would be expected to be crosslinked because of heating to about 260 °C. There is no indication that this characteristic is present in Staudenmayer. The other cited references disclose phenolic resins in the hole blocking layers of photoreceptors.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher RoDee whose telephone number is 571-272-1388. The examiner can normally be reached on most weekdays from 6:00 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Huff can be reached on 571-272-1385. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/774,636 Page 5

Art Unit: 1756

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

cdr

3 November 2005

CHRISTOPHER RODEE PRIMARY EXAMINER